

## REBAR TIE WIRE


Tree Island Steel rebar tie wire is a fully annealed wire for use in the construction industry, and is uniformly coiled and packaged to fit standard tie wire reels. Tree Island Steel's annealing process produces a soft wire, giving it flexibility that is necessary for quick tying. Coils have cores to allow pay-off without slippage.



- Available in: 14, 15, 16 and 16.5 gauge black annealed and 16 gauge polypropylene (PVC) coated rebar tie wire.
- Available in: 16 coils per box 80/110, 20 coils per box in US market.
- Available Coatings: Black annealed, galvanized, PVC coated, stainless steel.
- Sizes: 14, 15, 16, and 16.5 gauge black annealed, 16 gauge PVC coated.

GAUGE	APPROX. LIN./FT./CARTON	APPROX. CARTON/WEIGHT
16	4,800'	50 LB
16	7,600'	77 LB
16	8,000'	70 LB
PVC	4,800'	48 LB

## REINFORCING PENCIL ROD



Tree Island Steel produces plain and deformed reinforcing rod for the construction industry. (Other sizes available upon request.)

### Pencil Rod:

- Available in lengths from 10" to 30'.
- Common grades 1006 to 1020.
- 0.125" to 0.628".

SIZE & LENGTH	WIRE DIAM	WEIGHT/BUNDLE
1/4" x 20'	0.250"	2,000 LB
3/8" x 20'	0.375"	2,000 LB
1/2" x 20'	0.500"	2,000 LB

## CONCRETE WIRE COILS



Concrete Reinforcing Wire is a premium reinforcing wire for all concrete projects. Made from low carbon steel that exceeds ASTM 1064.

### Wire Coils:

- Standard 3,500 lb coils-up to 5,500 lb
- Also available in 2,000 lb carriers.
- Smooth or deformed wire.
- Common grades 1006 to 1020.
- 0.125" to 1" wire diameters available.